

EMERGENCY MANUAL

Solar Lamp Type A

Visión general

Solar Lamp Type A

Item code

450000042



Aspectos clave

• AQL is considered a "live" document. IOM staff users of this AQL document must check SharePoint that they have the latest version.

Descripción

Specifications for Solar Lamp Type A	
Solar Panel Power	Min 1.7W
Full Battery Charge	4-6 hrs in direct sunlight
Battery Replaceable	Yes
Battery Lifespan	5 years, 2000 complete charge cycles
Working Temperature	0-40°C
Capacity	Min: 4.5 Whrs
Light Output	100 lumen of light
Output	Up to 80 hours of the lowest light from one charge
Sockets	One for mobile phone charging with multiple adapters
Casing	Robust and easy to use. Designed to meet IP 64 as minimum
Packaging	Packaged in robust boxes for simple packing and to safeguard the product against expected damages during transit
Documentation	Battery certifications as safe for air transportation Global Off-Grid Lighting Association (GOGLA) certificate

Specifications for Solar Lamp Type A

All IOM Non-Food Items (NFIs) have been designed, manufactured, and packaged for distribution ensuring minimal impacts on the environment. Through rigorous Quality Assurance processes along with risk and life cycle assessments, NFIs are evaluated holistically throughout their entire life cycle on their impact on the environment and for improved durability to enable reaching beyond their intended service life, hence reducing the need for frequent replacements. IOM NFIs can be recycled and further re-purposed or upcycled to suit multiple uses such as converting to different usage like handbags, car covers, recycled wastewater collection etc.

All unnecessary sub-packaging made of single-use plastics are avoided. When sub-packaging is exceedingly necessary, IOM prefers 100% compostable bio-plastic packaging made from biomass or unbleached, natural-coloured, recycled paper or using paper with FSC forest management certification.

Referencias y Herramientas

• Solar Lamp AQL

Otras entradas en este tema

• Emergency Relief Items Catalogue

Contactos

For further information, contact sheltersupport@iom.int.

Documento actualizado por última vez: Jan 2023