

## Latrine Slab / Squatting Plate

### Visión general

#### Specifications

Item code	4100000217
Dimensions	120 x 80 x 5.5cm




### Descripción

#### Latrine Slab / Squatting Plate

<b>Description</b>	Moulded polypropylene squatting slabs (120 x 80 cm) for provision of latrines in humanitarian emergencies.
<b>Features</b>	Manufactured in UV stabilised polypropylene. Lightweight, strong and stackable. Smooth surface to ease cleaning. Provisioned with a removable drop-hole cover to reduce odour and limit fly nuisance and raised feet placement areas to prevent slipping.
<b>Weight</b>	11.5kg
<b>Plate dimension</b>	120 x 80 x 5.5cm
<b>Shipping data</b>	35 or 40 slabs are stacked on a standard Euro pallet measuring 800 x 1200 x 144 mm.

### Consideraciones clave

Acceptable Quality Limit (AQL)

 International Organization for Migration (IOM) The UN Migration Agency	<b>AQL</b> <b>Definitions, penalties, <span style="color: red;">Corrective Action Plan</span> and Quality Control rules.</b>	IOMQC-AQLS00V8 Ver8.0 04.02.2022
<b>Nonconformities classification: Critical: C; Major: M; Minor: m</b>		
<b>Definitions:</b>		
<b>Critical nonconformity:</b> Any discrepancy which might harm an user or makes it impossible to use the product properly is considered to be critical. Lots with Critical discrepancy are subject to refusal.		
<b>Major nonconformity:</b> Any discrepancy which makes the use of the product less efficient than expected is considered to be major. Lots with Major discrepancies can be accepted.		
<b>Minor nonconformity:</b> Any discrepancy which does not have an influence on the performance of the product is considered to be minor. Lots with Minor discrepancies can be accepted.		
<b>Non-Conformities classification and related penalties:</b>		
<span style="color: red;"><b>Corrective action plan must be implemented by the vendor on its processes, addressing root causes of occurrence (production) and of non-detection of the nonconformity (QC).</b></span>		
<b>Critical: (AQL 0)</b>		
Nonconforming characteristic (number of nonconforming items $\geq$ Rejection number. ISO-2859-1) implies a penalty of 10% of the value of the total PO per each critical non-conformity to be charged to the supplier. Determination of lot acceptability is to be decided by IOM.		
<b>Major: (AQL 4.0)</b>		
Nonconforming characteristic (number of nonconforming items $\geq$ Rejection number. ISO-2859-1) implies 0.5% penalty of the value of the total PO per each major non-conformity to be charged to the supplier. Determination of lot acceptability is to be decided by IOM.		
<b>Minor: (AQL 6.5)</b>		
Nonconforming characteristic (number of nonconforming items $\geq$ Rejection number. ISO-2859-1) implies implies 0.25% penalty of the value of the total PO per each minor non-conformity to be charged to the supplier. Determination of lot acceptability is to be decided by IOM.		
<b>Quality Control and Acceptance Quality Level</b>		
<b>- The AQLs herein are after IFRC/ICRC with additional parameters on IOM markings and required packaging.</b>		
- The Method of testing is drawn from ISO-2859-1 International Standards (table1: Sample size code letters, and table 2-A: Single sampling plans for normal inspection). The samples will be taken randomly by the buyer from the delivered items and then inspected.		
- The buyer can decide either to inspect the lot at IOM QC laboratory or to use an inspection company for analysis, or <u>both</u> . Transport to laboratory and analysis cost for lab testing are at expense of IOM.		
- The vendor can contest the results of the Quality Control done at IOM warehouses by requesting a lab testing. In this case transport to laboratory and analysis cost for lab testing are at expense of the seller.		
- <b>Nonconformity:</b> non-fulfilment of a specified characteristic requirement.		
- <b>Nonconforming item:</b> item with one or more nonconformities.		
- <b>Lot:</b> definite amount of some product, material or service, collected together.		
- <b>Sample:</b> set of one or more items taken from a lot and intended to provide information on the lot.		

## Referencias y Herramientas

- [Latrine Slab / Squatting Plate AQL](#)

## Otras entradas en este tema

- [Emergency Relief Items Catalogue](#)

## Contactos

For further information, contact [washsupport@iom.int](mailto:washsupport@iom.int).

Documento actualizado por última vez: Jan 2023